




Luxfer Gas Cylinders

Aldridge
West Midlands
England



MATERIAL: Aluminium Alloy AA6061 T6	WATER CAPACITY: 1.00L (min.)	CHARGING PRESSURE @15°C: 200 bar	CHECKED	A.S.N.	© LUXFER GAS CYLINDERS 1996 The copyright of this drawing belongs to Luxfer Gas Cylinders. It is supplied on the express terms that it is to be treated as confidential and is not to be copied or communicated to any other person. It is not to be used for the purpose of construction or manufacture unless expressly authorised for that purpose on each occasion that it is used.	
UTS (min.): 330 N/mm ²	EMPTY WEIGHT: 1.62 Kg (approx.)		DATE	27.March.96		
0.2% PROOF STRESS: 280 N/mm ²	THREAD: 19.8 DIN 477	TEST PRESSURE: 300 bar	DESIGN:	ALL DIMENSIONS IN mm U.O.S. GENERAL TOLERANCE ± 0.5 U.O.S.	TITLE	1.0L PERMANENT GAS CYLINDER
ELONGATION: 5.65 √A (min.) 12%	FILLING RATIO:	BURST PRESSURE: 472 bar	84/526/EEC	APPROVAL No.: 84/526/EEC/UK19 APPROVAL MARK: E2UK935UK	618/1/Q Taken From EEC Family Drawing 424/1/Q	
					ISSUE 3	M4030